AUTHOR INDEX

Abboud, S. and Sadeh, D. Power spectrum analysis of fetal heart rate variability using the abdominal maternal electrocardiogram, 161
Abel, E.W.: *see* Frank, T.G., 333
Aeyels, B.: *see* Peeraer, L., 178
Agnew, W.F.: *see* McCreery, D.B., 309
Agnew, W.F., McCreery, D.B., Yuen, T.G.H. and Bullara, L.A. Local anaesthetic block protects against electrically-induced damage in peripheral nerve, 301
Andrews, B.J.: *see* Kirtley, C., 183
Avanzolini, G., Barbini, P., Capello, A. and Cevenini, G. Real-time tracking of parameters of lung mechanics: emphasis on algorithm tuning, 489
Avidor, J.M.: *see* Einav, S., 13
Badran, A.K., Durrani, T.S., Fisher, A.C. and Paul, J.P. Patient realignment in magnetic resonance imaging of the head: an algorithm using mathematical morphology for feature extraction, 138
Bajd, T., Kralj, A., Turk, R. and Benko, H. Symmetry of FES responses in the lower extremities of paraplegic patients, 415
Baker, J.: *see* Shaw, D.B., 351
Barbenel, J.C. and Sockalingham, S. Device for measuring soft tissue interface pressures, 519
Barbini, P.: *see* Avanzolini, G., 489
Beard, R.W.: *see* Carter, M.C., 267
Beatty, P.C.W., A low cost gas mixer, 345
Begg, R.K., Wytch, R. and Major, R.E. A microcomputer-based video vector system for clinical gait analysis, 383
Belyakov, N.A: *see* Rosenthal, V.V., 46
Benko, H.: *see* Bajd, T., 415
Black, C.M., Clark, R.P., Darton, K., Goff, M.R. Norman, T.D. and Spikes, H.A. A pyroelectric thermal imaging system for use in medical diagnosis, 281
Bracale, M.: *see* Cesarelli, M., 527
Bramanti, M. and Tozzi, A. New method for motion measurement and control, 451
Broadhurst, M.J. and Stammers, G.W. Mechanical feeding aids for patients with ataxia: design considerations, 209
Brooks, D.H., Nikias, C.L. and Siegel, J.H. Comparison and testing of least-squares time domain inverse solutions in electrocardiography, 503
Brown, A.W.S.: *see* Thornett, C.E.E., 205
Bryant, J.T.: *see* Li, J., 69
Budney, D.: *see* Evenson, R., 447
Bullara, L.A.: *see* Agnew, W.F., 301
Bullara, L.A.: *see* McCreery, D.B., 309
Cappello, A.: *see* Avanzolini, G., 489
Carter, M.C., Genevier, E.S., Chong, L.C., Sutherland, I.A., Woodhouse, P., Murray, H.G., Kirk, D.L., Symonds, E.M., Steer, P.J. and Beard, R.W. Assessment of cardiotocographs, 267
Cesarelli, M., Clemente, F. and Bracale, M. A flexible FFT algorithm for processing biomedical signals using a personal computer, 527
Cevenini, G.: *see* Avanzolini, G., 489
Chambers, I.R.: *see* Clark, D.J., 444
Chapple, C.L.: *see* Faulkner, K., 228
Chong, L.C.: *see* Carter, M.C., 267
Clark, D.J., Chambers, I.R., Faulkner, K., Rayson, J., Hacking, P.M. and Milton, J. Pressure measurements during automatic breast compression in mammography, 444
Clark, R.P.: *see* Black, C.M., 281
Clemente, F.: *see* Cesarelli, M., 527
Cobbold, R.S.C.: *see* Ojha, M., 463
Cooke, D.K.: *see* Whelpton, D., 248
Cooper, R. Changes of slow and steady brain potentials during complex tasks, 215
Cross, A.: *see* Hindle, R.J., 340
Cunningham, J.L.: *see* Evans, M., 457
Darton, K.: *see* Black, C.M., 281
Davy, M.S.: *see* Nash, R.S.W., 189
Dougall, J.R.: *see* Farley, R., 328
Drouin, G.: *see* Yahia, L.H., 57
Dumesnil, J.G.: *see* Shoucri, R.M., 79
Durrani, T.S.: *see* Badran, A.K., 138
Einav, S., Stolero, D., Avidor, J.M., Elad, D. and Talbot, L. Wall shear stress distribution along the cusp of a tri-leaflet prosthetic valve, 13
Elad, D.: *see* Einav, S., 13
Engelhorn, M.W.: *see* Liu, J., 105
Engelhorn, M.W.: *see* Liu, J., 108
Esat, I.I.: *see* Shirandami, R., 19
Evans, M., Spencer, M., Wang, Q., White, S.H. and Cunningham, J.L. Design and testing of external fixator bone screws, 457
Evenson, R., Budney, D., Russell, G.G., Moreau, M.J. and Raso, V.J. End-cap for the biomechanical testing of spinal segments, 447
Farley, R., Dougall, J.R. and Patel, K.R. Development of a probe for the *in vivo* measurement of airway humidity during anaesthesia, 328
Faulkner, K.: *see* Clark, D.J., 444
Faulkner, K., Chapple, C.L., Hedley, P., Kotre, C.J. and Harrison, R.M. Automated quality assurance and patient dosimetry in diagnostic radiology, 228
Field, A. and Graupe, D. Topographic components analysis of evoked potentials: estimation of model parameters and evaluation of parameter uniqueness, 287
Fisher, A.C.: *see* Badran, A.K., 138
Frank, T.G. and Abel, E.W. Design and evaluation of footrests for hospital wheelchairs, 333
Fumero, R.: *see* Pietrabissa, R., 419
Gagnon, M.: *see* Plamondon, A., 143
Gammie, A.R.: *see* Hillman, M.R., 199
Garrett, J.A. and Smithson, P.H. Meeting the International standard ISO 9002/BS5750, 253
Genevier, E.S.: *see* Carter, M.C., 267
Ghori, G.M.U. and Luckwill, R.G. Phase-dependent responses in locomotor muscles of walking man, 75
Goff, M.R.: *see* Black, C.M., 281
Gosling, R.G.: *see* Patel, M.C., 316
Grant, L.J. Product liability aspects of bioengineering, 262
Graupe, D.: *see* Field, A., 287
Grootenboer, H.J.: *see* Verkerke, G.J., 91
Guiot, C. A model approach to *in situ* coronary autoregulation, 129
Guo, G.X., Xu, C.C. and Hwang, N.H. Laser assessment of leaflet closing motion in prosthetic heart valve, 477
Hacking, P.M.: *see* Clark, D.J., 444
Haggag, Y.A.M. The central axis prosthetic cardiac valve: an *in vitro* study of pressure drop assessment under steady-state flow conditions, 63
Harrison, R.M.: *see* Faulkner, K., 228
Hartley, J.P.R.: *see* Mussell, M.J., 365
Harwin, W.S. and Jackson, R.D. Analysis of intentional head gestures to assist computer access by physically disabled people, 193
Hastings, G.W.: *see* Knowles, J.C., 102
Hedley, P.: *see* Faulkner, K., 228
Hillman, M.R., Pullin, G.M., Gammie, A.R., Stammers, C.W. and Orpwood, R.D. Development of a robot arm and workstation for the disabled, 199
Hindle, R.J., Pearcy, M.J. and Cross, A., Mechanical function of the human lumbar interspinous and spuraspinous ligaments, 340
Hoodless, K.: *see* McGill, S.M., 403
Horwood, J.M.K.: *see* Shaw, D.B., 351
Houin, G.: *see* Plusquellec, Y., 523
Houin, G.: *see* Plusquellec, Y., 523
Huang, M.-C., Shen, J. and Sun, H.-W. Study of normal and cancerous urine using photoacoustic spectroscopy, 425
Hummel, R.L.: *see* Ojha, M., 463
Hutchison, J.M.S.: *see* Kulkarni, V., 219
Hwang, N.H.: *see* Guo, G.X., 477
Inzoli, F.: *see* Pietrabissa, R., 419
Jackson, R.D.: *see* Harwin, W.S., 193
Jamieson, M. and Selbie, R. A constant current device for bipolar electrical stimulation *in vitro*., 172
Jepson, S.C.: *see* Saidel, G.M., 496
Johnston, K.W.: *see* Ojha, M., 463
Jones, M.L.: *see* Middleton, J., 319
Kekwick, C.A.: *see* Shaw, D.B., 351
Kepple, T.M., Stanhope, S.J., Lohmann, K.N. and Roman, N.L. A video-based technique for measuring ankle–subtalar motion during stance, 273
Keyak, J.H.: *see* Skinner, H.B., 389
Kirk, D.L.: *see* Carter, M.C., 267
Kirtley, C. and Andrews, B.J. Control of functional electrical stimulation with extended physiological proprioception, 183
Knowles, J.C. and Hastings, G.W. Simple computer controlled goniophotometer for the measurement of early stage changes in biodegradable polymers, 102
Kontis, S.: *see* Patel, M.C., 316
Kotre, G.J.: *see* Faulkner, K., 228
Kralj, A.: *see* Bajd, T., 415
Kulkarni, V.: *see* Ritchie, I.K., 369
Kulkarni, V., Hutchison, J.M.S., Ritchie, I.K. and Mallard, J.R., Impedance imaging in upper arm fractures, 219
Langner, M.C.: *see* Thornett, C.E.E., 205
Lau, W.S.: *see* Soh, A.K., 470
Laura, P.A.A., Rossi, R.E. and Maurizi, M.J. Dynamic analysis of a simplified bone model during the process of fracture healing, 157
Levy, M., Mizrahi, J. and Susak, Z. Recruitment, force and fatigue characteristics of quadriceps muscles of paraplegics isometrically activated by surface functional electrical stimulation, 150
Li, J., Bryant, J.T. and Stevenson, J.M. Single camera photogrammetric technique for restricted 3D motion analysis, 69
Li, M.: *see* She, J., 375
Liu, J. and Engelhorn, M.W. Locally optimum run-length compression of CT images without restriction on the pixel valve, 105
Liu, J. and Engelhorn, M.W. Improvement on the locally optimum run-length compression of CT images, 108
Lobregt, S., *see* Strong, A.B., 233
Lohmann, K.N.: *see* Kepple T.M., 273
Luckwill, R.G.: *see* Ghori, G.M.U., 75
Madroñero, A. Influence of magnetic fields

on calcium salts crystal formation: an explanation of the 'pulsed electromagnetic field' technique for bone healing, 410
Major, R.E.: *see* Begg, R.K., 383
Mallard, J.R.: *see* Kulkarni, V., 219
Maurizi, M.J.: *see* Laura, P.A.A., 157
McCreery, D.B.: *see* Agnew, W.F., 301
McCreery, D.B., Agnew, W.F., Bullara, L.A. and Yuen, T.G.H. Partial pressure of oxygen in brain and peripheral nerve during damaging electrical stimulation, 309
McGill, S.M. and Hoodless, K., Measured and modelled static and dynamic axial trunk torsion during twisting in males and females, 403
McKie, J. Management of medical technology in developing countries, 259
Meagher, J.M.: *see* Skinner, H.B., 389
Middleton, J., Jones, M.L. and Wilson, A.N. Three-dimensional analysis of orthodontic tooth movement, 319
Milton, J.: *see* Clark, D.J., 444
Mizrahi, J.: *see* Levy, M., 150
Mohl, W.: *see* Schreiner, W., 429
Moreau, M.J.: *see* Evenson, R., 447
Mote, C.D.: *see* Skinner, H.B., 389
Murray, H.G.: *see* Carter, M.C., 267
Mussell, M.J., Hartley, J.P.R. and Turton, C.W.G. Two useful devices for the lung function laboratory, 365
Nakamura, M., Shibasaki, H. and Nishida, S. Method for recording short latency evoked potentials using an EKG artifact elimination procedure, 51
Nash, R.S.W., Davy, M.S., Orpwood, R. and Swain, I.D. Development of a wheelchair-mounted folding standing frame, 189
Neuman, F.: *see* Schreiner, W., 429
Nielsen, H.K.L.: *see* Verkerke, G.J., 91
Nikias, C.L.: *see* Brooks, D.H., 503
Nishida, S.: *see* Nakamura, M, 51
Nissan, M. and Whittle, M.W. Initiation of gait in normal subjects: a preliminary study, 165
Norman, T.D.: *see* Black, C.M., 281
Ojha, M., Johnson, K.W., Hummel, R.L. and Cobbold, R.S.C. Detailed visualization of the pulsatile flow fields produced by modelled arterial stenoses, 463
Oldhoff, J.: *see* Verkerke, G.J., 91
Olkkonen, H. Fast sinc interpolation of digitized signals using the Hilbert transform, 531
Orpwood, R.D.: *see* Hillman, M.R., 199
Orpwood, R.: *see* Nash, R.S.W., 189
Padayachee, T.S.: *see* Patel, M.C., 316
Patel, K.R.: *see* Farley, R., 328
Patel, M.C., Taylor, M.G., Kontis, S., Padayachee, T.S. and Gosling, R.G. An online technique for estimating cerebral carbon dioxide reactivity, 316
Paul, J.P.: *see* Badran, A.K., 138
Pearcy, M.J.: *see* Hindle, R.J., 340
Peeraer, L., Aeyels, B. and van der Perre, G. Development of EMG-based mode and intent recognition algorithms for a computer-controlled above-knee prosthesis, 178
Perktold, K. and Peter, R. Numerical 3D-simulatiôn of pulsatile wall shear stress in an arterial T-bifurication model, 2
Perktold, K. and Resch, M. Numerical flow studies in human carotid artery bifurcations: basic discussion of the geometric factor in atherogenesis, 111
Peter, R.: *see* Perktold, K., 2
Phillips, C.A. Cardiac chemical constant. Part I: Derivation of the characteristic phenomenological equation, 23
Phillips, C.A., Cardiac chemical constant. Part II: Application to normal and abnormal left ventricular function, 29
Pietrabissa, R., Inzoli F. and Fumero, R., Simulation study of the fluid dynamics of the aorto-coronary bypass, 419
Pintar, F.: *see* Yoganandan, N, 97
Plamondon, A. and Gagnon, M. Evaluation of Euler's angles with a least squares method for the study of lumbar spine motion, 143
Plusquellec, Y. and Houin, G. Analytical study of open four compartment pharmacokinetic models: concentrations, area under curves, mean residence times, 358
Plusquellec, Y. and Houin, G. Compartmental mean residence time in a mammillary model with an effect compartment after intravenous or oral administration, 523
Postma, A.: *see* Verkerke, G.J., 91
Prendergast, P.J. and Taylor, D. Stress analysis of the proximo-medial femur after total hip replacement, 379
Prosser, N.L.: *see* Shaw, D.B., 351
Pullin, G.M.: *see* Hillman, M.R., 199
Qian, K.-X. Haemodynamic approach to reducing thrombosis and haemolysis in an Impeller pump, 533
Qian, K.-X. A linear motor and compact cylinder-piston driver for left ventricular bypass, 36
Raso, V.J.: *see* Evenson, R., 447
Rayson, J.: *see* Clarke, D.J., 444
Reccia, R., Roberti, G. and Russo, P. Computer analysis of ENG spectral features from patients with congenital nystagmus, 39
Resch, M.: *see* Perktold, K., 111
Ritchie, I.K. and Kulkarni, V. Impedence osteography: clinical applications of a new method of imaging fractures, 369
Ritchie, I.K.: *see* Kulkarni, V., 219
Roberti, G.: *see* Reccia, R., 39
Roman, N.L.: *see* Kepple, T.M., 273
Rosenthal, V.V., Serikov, V.B., Belyakov, N.A. and Symbirtsev, S.A. Description of dynamic lung fluid transport phenomena by linear non-equilibrium thermodynamic equations, 46
Rossi, R.E.: *see* Laura, P.A.A., 157
Russell, G.G.: *see* Evenson, R., 447
Russo, P.: *see* Reccia, R., 39
Sadeh, D.: *see* Abboud, S., 161
Saidel, G.M. and Jepson, S.C. Control and evaluation of high-frequency jet ventilation: mechanical lung model, 496
Sances, A.: *see* Yoganandan, N., 97
Schaffordt Koops, H.: *see* Verkerke, G.J., 91
Schreiner, W., Neumann, F. and Mohl, W. Simulation of coronary circulation with special regard to the venous bed and coronary sinus occlusion, 429
Selbie, R.: *see* Jamieson, M., 172
Serikov, V.B.: *see* Rosenthal, V.V., 46
Shaw, D.B., Kekwick, C.A., Whistance, A.W.T., Woollons, D.J., Horwood, J.M.K., Baker, J. and Prosser, N.L. A dual-sensor diagnostic pacemaker for ambulatory cardiac monitoring, 351
She, J, Li, M., Wang, K. and Yu, Y. Prosthetic heart valves: waveform comparison and average value disposition for pulsatile flow *in vitro*, 375
Shen, F.: *see* Sui, W., 124
Shen, J.: *see* Huang, M.-C. 425
Shibasaki, H.: *see* Nakamura, M., 51
Shirandami, R. and Esat, I.I. New design of hip prosthesis using carbon fibre reinforced composite, 19
Shoucri, R.M. Performance of the left ventricle based on pressure–volume relation, 482
Shoucri, R.M. and Dumesnil, J.G. Contribution to the theoretical study of the Doppler half-time method for the measurement of the cross-sectional area of the mitral valve, 79
Siegel, J.H.: *see* Brooks, D.H., 503
Skinner, H.B., Keyak, J.H., Meagher, J.M. and Mote, C.D. Automated three-dimensional finite element modelling of bone: a new method, 389
Smithson, P.H.: *see* Garrett, J.A., 253
Sockalingham, S.: *see* Barbenel, J.C., 519
Soh, A.-K., Soh, C.-K. and Lau, W.S. Method for design and analysis of a non-linear anisotropic lower limb prosthetic socket, 470
Soh, C.-K.: *see* Soh, A.-K., 470
Speller, R.D.: *see* Zananiri, F.A.F., 239
Spencer, M.: *see* Evans, M., 457
Spikes, H.A.: *see* Black, C.M., 281
Stammers, C.W.: *see* Broadhurst, M.J., 209
Stammers, C.W.: *see* Hillman, M.R., 199
Stanhope, S.J.: *see* Kepple, T.M., 273
Steer, P.J.: *see* Carter, M.C., 267
Stevenson, J.M.: *see* Li, J., 69
Stolero, D.: *see* Einav, S., 13
Strong, A.B., Lobregt, S. and Zonneveld, F.W. Applications of three-dimensional display techniques in medical imaging, 233
Sui, W. and Shen, F. Computer model of an inhomogeneous human torso, 124
Sun, H.-W.: *see* Huang, M.-C., 425
Susak, Z.: *see* Levy, M., 150
Sutherland, I.A.: *see* Carter, M.C., 267
Swain, I.D.: *see* Nash, R.S.W., 189
Symbirtsev, S.A.: *see* Rosenthal, V.V., 46
Symonds, E.M.: *see* Carter, M.C., 267
Talbot, L.: *see* Einav, S., 13
Taylor, D.: *see* Prendergast, P.J., 379
Taylor, M.G.: *see* Patel, M.C., 316
Thornett, C.E.E., Langner, M.C. and Brown, A.W.S. Disabled access to information technology — a portable adaptable, multipurpose device, 205
Tozzi, A.: *see* Bramanti, M., 451
Turk, R.: *see* Bajd, T., 415
Turton, C.W.G.: *see* Mussell, M.J., 365
van den Kroonenberg, H.H.: *see* Verkerke, G.J., 91
van der Perre, G.: *see* Peeraer, L., 178
Verkerke, G.J., Schaffordt Koops, H., Veth, R.P.H., van den Kroonenberg, H.H., Grootenboer, H.J., Nielsen, H.K.L., Oldhoff, J. and Postma, A. An extendable modular endoprosthetic system for bone tumour management in the leg, 91
Veth, R.P.H.: *see* Verkerke, G.J., 91
Wang, K.: *see* She, J., 375
Wang, Q.: *see* Evans, M., 457
Weiss, P.L. Mechanical characteristics of microswitches adapted for the physically disabled, 398
Whelpton, D. and Cooke, D.K., Computer system for equipment management, 248
Whistance, A.W.T.: *see* Shaw, D.B., 351
White, S.H.: *see* Evans, M., 457
Whittle, M.W.: *see* Nissan, M., 165
Wilson, A.N.: *see* Middleton, J., 319
Wilson, C.R.: *see* Yoganandan, N., 97
Woodhouse, P.: *see* Carter, M.C., 267
Woollons, D.J.: *see* Shaw, D.B., 351
Wytch, R.: *see* Begg, R.K., 383
Xu, C.C.: *see* Guo, G.X., 477
Yahia, L.H. and Drouin, G. Study of the hysteresis phenomenon in canine anterior cruciate ligaments, 57
Yoganandan, N., Pintar, F., Wilson, C.R. and

Sances, A. *In vitro* biomechanical study of female geriatric cervical vertebral bodies, 97
Yu, Y.: *see* She, J., 375
Yuen, T.G.H.: *see* Agnew, W.F., 301
Yuen, T.G.H.: *see* McCreery, D.B., 309
Zananiri, F.A.F. and Speller, R.D. Dual energy radiography using X-ray films and intensifying screens, 239
Zonneveld, F.W.: *see* Strong, A.B., 233

SUBJECT INDEX

Adapted switches
physically disabled, 398
Adaptive control
prostheses, lower limb, gait, 178
Airway humidity
anaesthesia, sensor, 328
Algorithm tuning
lung mechanics, real-time tracking, 489
Anaesthesia
airway humidity, sensor, 328
peripheral nerve, electrical stimulation, neural damage, 301
Ankle-subtalar
motion, video, 273
Arterial bifurcation
model, wall shear stress, 2
Arterial stenosis
shear stress, flow patterns, model, 463
Atherogenesis
carotid bifurcation, flow dynamics, 111
Axial torque
low back pain, 403
Back extension
ligaments, flexion, 340
Bernoulli equation
mitral valve, Doppler, 79
Bioengineering
product liability, law, 262
Bone
endoprosthesis, tumour, modular system, 91
finite element, model, computed tomography, 389
screws, design, 457
Bone loss
prostheses, design, femur stress, 379
Brain
peripheral nerve, electrical stimulation, 309
Brain potentials
cortical excitation, EEG, 215
Calcium salts
fracture healing, electromagnetic field, 410
Cancer
urine, spectroscopy, 425
Cardiac muscle
model, dissociation constant, 23
model, ventricular function, 29
Carotid bifurcation
atherogenesis, flow dynamics, 111
Cartiotocograph
fetal monitor, evaluation, 267
Cerebral circulation
CO_2 reactivity, ultrasound, Doppler, 316
CO_2 reactivity
cerebral circulation, ultrasound, Doppler, 316
Communication
head movements, physically disabled, 193
Compartment model
pharmacokinetics, mean residence time, 358, 523
Composites
prostheses, hip, 19
Compression device
mammography, 444
Compressive strength
spine, vertebral body, geriatrics, 97
Computed tomography
bone, finite element, model, 389
imaging, 233
radiography, 105
Computer assisted
imaging, 108
Computer design
prostheses, socket, 470
Computer model
myocardium, torso, 124
Computer system
equipment management, 248
Coronary bypass
finite element, model, fluid dynamics, 419
Coronary circulation
model, 129, 429
Cortical excitation
brain potentials, EEG, 215
Design
bone loss, prostheses, femur stress, 379
bone, screws, 457
Developing countries
equipment management, 259
Diagnosis
imaging, thermography, 281
Diagnostic
pacemaker, 351
Digital signal processing
fast Fourier transform, Doppler velocimetry, 527
Digital waveforms
sinc interpolation, Hilbert transform, 531
Dissociation constant
cardiac muscle, model, 23
Doppler
CO_2 reactivity, cerebral circulation, ultrasound, 316
mitral valve, Bernoulli equation, 79
prosthesis, heart valve, wall shear stress, 13
Doppler velocimetry
digital signal processing, fast Fourier transform, 527
ECG
fetal monitor, heart rate, 161
EEG
brain potentials, cortical excitation, 215
EKG artefacts
evoked potentials, 51
Dosimetry
radiography, quality assurance, 228
Elbow flexion
motion, photogrammetric technique, 69
Electrical stimulation
peripheral nerve, brain, 309
peripheral nerve, neural damage, anaesthesia, 301
Electrocardiography
torso conductance, model, 503
Electromagnetic field
fracture healing, calcium salts, 410
Electromyography
reflex, locomotor muscle, gait, 75
End-cap
spine, 447
Endoprosthesis
tumour, bone, modular system, 91
Equipment management
computer sytem, 248
developing countries, 259
quality assurance, 253
Evaluation
fetal monitor, cartiotocograph, 267
Evoked potentials
model, topographic components, 287
EKG artefacts, 51
Eye movements
nystagmus, spectral analysis, 39
Fast Fourier transform
digital signal processing, Doppler velocimetry, 527
Feeding device
hand tremor, 209
Femur stress
bone loss, prostheses, design, 379
FES
paraplegics, 415
paraplegics, sensory feedback, 183
paraplegics, quadriceps, 150
wheelchairs, standing, 189
Fetal monitor
cartiotocograph, evaluation, 267
heart rate, ECG, 161
Finite element
bone, model, computed tomography, 389
model, coronary bypass, fluid dynamics, 419
Flexion
ligaments, back extension, 340
Flow dynamics
atherogenesis, carotid bifurcation, 111
Flow patterns
arterial stenosis, shear stress, model, 463
Fluid dynamics
finite element, model, coronary bypass, 419
Fluid flow
lung, thermodynamics, 46
Footrests
wheelchairs, 333
Fracture-healing
electromagnetic field, calcium salts, 410
imaging, impedance osteography, 219, 369
model, 157
Gait
prostheses, lower limb, adaptive control, 178
reflex, locomotor muscle, electromyography, 75
sex-related differences, 165
video, 383
Gas exchange
mass spectrometry, 345
Geriatrics
spine, vertebral body, compressive strength, 97
Goniophotometer
polymers, 102
Hall effect
motion, 451
Hand tremor
feeding device, 209
Head
MRI, imaging, 138
Head movements
physically disabled, communication, 193
Heart rate
fetal monitor, ECG, 161
Heart valve
prostheses, 63

prostheses, leaflet motion, lasers, 477
prostheses, pulsatile flow, 375
prostheses, wall shear stress, Doppler, 13
Hilbert transform
digital waveforms, sinc interpolation, 531
Hip
prostheses, composites, 19
Hysteresis
ligaments, 57
Imaging
computer assisted, 108
computed tomography, 233
fracture healing, impedance osteography, 219, 369
MRI, head, 138
thermography, diagnosis, 281
Impedance osteography
fracture healing, imaging, 219, 369
Intensifying screens
radiography, X-ray film, 239
Jet ventilation
lung mechanics, 496
Lasers
prostheses, heart valve, leaflet motion, 477
Law
bioengineering, product liability, 262
Leaflet motion
prostheses, heart valve, lasers, 477
Ligaments
flexion, back extension, 340
hysteresis, 57
Locomotor muscle
reflex, electromyography, gait, 75
Low back pain
axial torque, 403
Lower limb
prostheses, gait, adaptive control, 178
Lung
thermodynamics, fluid flow, 46
Lung mechanics
jet ventilation, 496
real-time tracking, algorithm tuning, 489
Mammography
compression device, 444
Mass spectrometry
gas exchange, 345
Mean residence time
pharmacokinetics, compartment model, 358, 523
Mitral valve
Doppler, Bernoulli equation, 79
Model
arterial bifurcation, wall shear stress, 2
arterial stenosis, shear stress, flow patterns, 463
bone, finite element, computed tomography, 389
cardiac muscle, dissociation constant, 23
cardiac muscle, ventricular function, 29
coronary circulation, 129, 429
electrocardiography, torso conductance, 503
evoked potentials, topographic components, 287
finite element, coronary bypass, fluid dynamics, 419
fracture healing, 157
tooth movement, orthodontics, 319
Modular system
endoprosthesis, tumour, bone, 91
Motion
ankle-subtalar, video, 273
elbow flexion, photogrammetric technique, 69
Hall effect, 451
spine, stereo radiography, 143
MRI
head, imaging, 138
Multipurpose device
physically disabled, 205
Myocardium
pressure–volume relation, radial axial force, 482
torso, computer model, 124
Neural damage
peripheral nerve, electrical stimulation, anaesthesia, 301
Nystagmus
eye movements, spectral analysis, 39
Orthodontics
model, tooth movement, 319
Pacemaker
diagnostic, 351
Paraplegics
FES, 415
FES, quadriceps, 150
FES, sensory feedback, 183
Peripheral nerve
brain, electrical stimulation, 309
electrical stimulation, neural damage, anaesthesia, 301
Pharmacokinetics
compartment model, mean residence time, 358, 523
Photogrammetric technique
motion, elbow flexion, 69
Physically disabled
adapted switches, 398
head movements, communication, 193
multipurpose device, 205
robotic arm, 199
Polymers
goniophotometer, 102
Pressure sensing device
soft tissue interface, 519
Pressure–volume relation
myocardium, radial axial force, 482
Product liability
bioenginering, law, 262
Prostheses
bone loss, design, femur stress, 379
heart valve, 63
heart valve, leaflet motion, lasers, 477
heart valve, pulsatile flow, 375
heart valve, wall shear stress, Doppler, 13
hip, composites, 19
lower limb, gait, adaptive control, 178
socket, computer design, 470
Pulsatile flow
prostheses, heart valve, 375
Quadriceps
FES, paraplegics, 150
Quality assurance
radiography, dosimetry, 228
equipment management, 253
Radial axial force
myocardium, pressure–volume relation, 482
Radiography
quality assurance, dosimetry, 228
computed tomography, 105
X-ray film, intensifying screens, 239
Real-time tracking
lung mechanics, algorithm tuning, 489
Reflex
locomotor muscle, electromyography, gait, 75
Robotic arm
physically disabled, 199
Screws
bone, design, 457
Sensor
anaesthesia, airway humidity, 328
Sensory feedback
FES, paraplegics, 183
Sex-related differences
gait, 165
Shear stress
arterial stensosis, flow patterns, model, 463
Sinc interpolation
digital waveforms, Hilbert transform, 531
Socket
prostheses, computer design, 470
Soft tissue interface
pressure sensing device, 519
Spectral analysis
nystagmus, eye movements, 39
Spectroscopy
urine, cancer, 425
Spine
end-cap, 447
motion, stereo radiography, 143
vertebral body, compressive strength, geriatrics, 97
Standing
FES, wheelchairs, 189
Stereo radiography
spine, motion, 143
Thermodynamics
lung, fluid flow, 46
Thermography
imaging, diagnosis, 281
Tooth movement
model, orthodontics, 319
Topographic components
evoked potentials, model, 287
Torso
myocardium, computer model, 124
Torso conductance.
electrocardiography, model, 503
Tumour
endoprosthesis, bone, modular system, 91
Ultrasound
CO_2 reactivity, cerebral circulation, Doppler, 316
Urine
cancer, spectroscopy, 425
Ventricular bypass, 36
Ventricular function
cardiac muscle, model, 29
Vertebral body
spine, compressive strength, geriatrics, 97
Video
gait, 383
motion, ankle-subtalar, 273
Wall shear stress
arterial bifurcation, model, 2
prosthesis, heart valve, Doppler, 13
Wheelchairs
FES, standing, 189
footrests, 333
X-ray film
radiography, intensifying screens, 239